第一图书网, tushu007.com



图书基本信息

书名:<<多波混频>>

13位ISBN编号:9787040257953

10位ISBN编号:7040257955

出版时间:2009-1

出版时间:张彦鹏、肖敏高等教育出版社 (2009-01出版)

作者:张彦鹏,(美)肖敏 著

页数:319

版权说明:本站所提供下载的PDF图书仅提供预览和简介,请支持正版图书。

更多资源请访问:http://www.tushu007.com



前言

Nonlinear optics covers very broad research directions and has been a very active area of research for about fifty years since the invention of the first laser at the beginning of 1960s. There are several excellent text books devoted to various aspects of nonlinear optics including Nonlinear Optics by R.W.Boyd, Nonlinear Optics by Y.R.Shen, Quantum Electronics by A.Yariv, Principles of Nonlinear Optical Spectroscopy by S.MIlkainel, and Nonlinear Fibet Optics by G.P.Agrawal. Multi-wave mixings in gases, liquids, and solid materials are important parts of the nonlinear optical process. Typically. lower-order nonlinear optical processes always dominate since they are Inore efficient than higher-order ones.



内容概要

Multi-Wave Mixing Processes From Ultrafast Polarization Beats to ElectromagneticaUy Induced Transparency discusses the interactions of efficient multi-wave mixing (MWM) processes enhanced by atomic coherence in multilevel atomic systems. It covers topics in five major areas: attosecond and femtosecond polarization beats of four-wave mixing (FWM) processes; heterodyne detection of FWM, six-wave mixing (SWM) and eight-wave mixing (EWM) processes; Raman and Rayleigh enhanced polarization beats; coexistence and interactions of MWM processes via electromagnetically induced transparency (EIT); multi-dressing MWM processes. The book is intended for researchers, advanced undergraduate and graduate students in Nonlinear Optics.





作者简介

Dr.Yanpeng Zhang is a professor at the Key Laboratory for Physical Electronics and Devices of the Ministry of Education, Xian Jiaotong University. Dr.Min Xiao is a professor of Physics at University of Arkansas, Fayetteville, U.S.A.



书籍目录

1 Introduction 1.1 Nonlinear Susceptibility 1.2 Four-wave Mixing 1.3 Generalized Resonant MWM in Multi-level Atomic Systems 1.4 Enhanced Nonlinearity via Electromagnetically Induced Transparency References2 Femtosecond Polarization Beats 2.1 Effects of Field-correlation on Polarization Beats 2.1.1 PBFS in a Doppler-broadened System 2.1.2 Photon-echo 2.1.3 Experiment and Result 2.2 Correlation Effects of Chaotic and Phase-diffusion Fields 2.2.1 Photon-echo 2.2.2 Experiment and Result 2.3 Higher-order Correlations of Markovian Stochastic Fields on Polarization Beats 2.3.1 HOCPB in a Doppler-broadened System 2.3.2 Photon-echo 2.3.3 Experiment and Result References3 Attosecond Polarization Beats 3.1 Polarization Beats in Markovian Stochastic Fields 3.2 Perturbation Theory 3.3 Second-order Stochastic Correlation of SFPB 3.4 Fourth-order Stochastic Correlation of SFPB 3.5 Discussion and Conclusion References4 Heterodyne/Homodyne Detection of MWM 4.1 Modified Two-photon Absorption and Dispersion of Ultrafast Third-order Polarization Beats 4.1.1 Liouville Pathways 4.1.2 Color-locking Stochastic Correlations 4.1.3 Purely Homogeneously-broadened Medium 4.1.4 Extremely Doppler-broadened Limit 4.1.5 Discussion and Conclusion 4.2 Color-locking Phase Control of Fifth-order Nonlinear Response 4.3 Seventh-order Nonlinear Response References5 Raman- and Rayleigh-enhanced Polarization Beats 5.1 Raman-enhanced Polarization Beats 5.1.1 Chaotic Field 5.1.2 Raman Echo 5.1.3 Phase-diffusion Field 5.1.4 Gaussian-amplitude Field 5.1.5 Experiment and Result 5.2 Rayleigh-enhanced Attosecond Sum-frequency Polarization Beats 5.2.1 Stochastic Correlation Effects of RFWM 5.2.2 Homodyne Detection of Sum-frequency RASPB 5.2.3 Heterodyne Detection of the Sum-frequency RASPB 5.2.4 Discussion and Conclusion References6 Coexistence of MWM Processes via EIT Windows 6.1 Opening FWM and SWM Channels 6.2 Enhancement of SWM by Atomic Coherence 6.3 Observation of Interference between FWM and SWM 6.4 Controlling FWM and SWM Processes References7 Interactions of MWM Processes 7.1 Competition between Two FWM Channels 7.2 Efficient Energy Transfer between FWM and SWM Processes 7.3 Spatial and Temporal Interferences between Coexisting FWM and SWM Signals References8 Multi-dressed MWM Processes 8.1 Matched Ultraslow Pulse Propagations in Highly-Efficient FWM 8.1.1 Time-dependent, Adiabatic Treatment for Matched Probe and NDFWM Signal Pulses 8.1.2 Steady-state Analysis 8.1.3 Discussion and Outlook 8.2 Generalized Dressed and Doubly-dressed MWM Processes 8.2.1 Generalized Dressed-(2n 2)WM and Doubly- dressed-(2n 4) WM Processes 8.2.2 Interplays Among Coexisting FWM, SWM, and EWM Processes 8.3 Interacting MWM Processes in a Five-level System with Doubly-dressing Fields 8.3.1 Three Doubly-Dressing Schemes 8.3.2 Aulter-Townes Splitting, Suppression, and Enhancement 8.3.3 Competition between Two Coexisting Dressed MWM 8.3.4 Conclusion and Outlook References Index





章节摘录

插图: Interaction between the two dressing fields in the nested-cascade scheme is the strongest and that of the parallel-cascade scheme is tile weakest. This conclusion is verified further in the simulated spectra. First in the AT splitting spectrum. The dressing fields of the nested cascade scheme are entangled tightly with each other and have strong interaction. In Fig.8.15 only the inner dressing field E3 can create the primary AT splitting , based Oil which the outer dressing field E4 can create tile secondary AT splitting. On the other hand , for the parallel-cascade scheme , the dressing fields have a weaker interaction and they can directly create two independent AT splittings (see Fig.8.17). However , for the sequential-cascade scheme the dressing fields can also directly create AT splitting but they have a strong interaction to create the primary and secondary AT splittings , as shown in Fig.8.18).





编辑推荐

《多波混频:从超快极化拍到电磁诱导透明》是由高等教育出版社出版的。





版权说明

本站所提供下载的PDF图书仅提供预览和简介,请支持正版图书。

更多资源请访问:http://www.tushu007.com