

<<医学教育改革系列教材>>

图书基本信息

书名：<<医学教育改革系列教材>>

13位ISBN编号：9787040343366

10位ISBN编号：7040343363

出版时间：2012-8

出版时间：贾建平 高等教育出版社 (2012-07出版)

作者：贾建平 编

页数：215

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

内容概要

This Neurology textbook is intended for international medical students and bilingual education in Chinese medical students. We hope it will also be useful for neurologists , non-neurologist clinicians , nurses , and other healthcare workers. As a textbook mainly for medical students , we tried to keep the content direct and clear. Only widely accepted notions and facts are included , rather than unsupported opinions or recent progress in research. Compared with other Neurology textbooks in English language , this textbook puts more emphasis on anatomy of nervous system , principles of topical diagnosis and neurological examination.

书籍目录

Chapter 1 General Introduction Chapter 2 Overview 2.1 Cranial Nerves 2.2 Sensory System 2.3 Motor System 2.4 Reflexes 2.5 Central Nervous System 2.6 Disturbance of Consciousness 2.7 Diagnostic Procedure and Principle of Neurological Disorders Chapter 3 Neurological Examinations and Diagnostic Tests 3.1 Neurological Examinations 3.2 Neurological Diagnostic Tests Chapter 4 Cerebrovascular Diseases 4.1 Transient Ischemic Attacks 4.2 Cerebral Infarction 4.3 Intracerebral Hemorrhage 4.4 Cerebral Venous Thrombosis Chapter 5 Meningitis and Encephalitis 5.1 Introduction 5.2 Meningitis 5.3 Encephalitis Chapter 6 Peripheral Neuropathies 6.1 Introduction 6.2 Guillain-Barré Syndrome (GBS) 6.3 Chronic Inflammatory Demyelinating Polyneuropathy (CIDP) 6.4 Idiopathic Facial Palsy (Bell's Palsy) Chapter 7 Neurodegenerative Diseases 7.1 Parkinson's Disease 7.2 Motor Neuron Diseases Chapter 8 Demyelinating Diseases 8.1 Demyelinating Diseases 8.2 Myelitis Chapter 9 Epilepsy 9.1 Introduction 9.2 Etiology of Epilepsy 9.3 Basic Mechanisms Underlying Seizures and Epilepsy 9.4 Classification of Epileptic Seizures 9.5 Diagnosis and Differential Diagnosis 9.6 Treatment of Epilepsy Chapter 10 Disorders of Neuromuscular Junction and Myopathy 10.1 Myasthenia Gravis 10.2 Muscular Dystrophy 10.3 Polymyositis Chapter 11 Migraine 11.1 Introduction 11.2 Etiology 11.3 Pathogenesis 11.4 Clinical Manifestation and Classification 11.5 Diagnosis and Differential Diagnosis 11.6 Treatment 11.7 Prognosis Chapter 12 Familial Periodic Paralysis 12.1 Introduction 12.2 Hypokalemic Periodic Paralysis 12.3 Hyperkalemic Periodic Paralysis 12.4 Normokalemic Periodic Paralysis Chapter 13 Dementia 13.1 Introduction 13.2 Alzheimer's Disease 13.3 Vascular Dementia (VaD) 13.4 Mixed Dementia (MD) 13.5 Dementia with Lewy Bodies (DLB) 13.6 Frontotemporal Dementia (FTD)

章节摘录

版权页：插图：2.5.3 Basal Ganglia 2.5.3.1 Anatomy and physiology The basal ganglia lie in the deep white matter of the cerebral cortex and are composed of the caudate, lentiform nucleus, claustrum and amygdaloid nucleus. The basal ganglia system is made up of the basal ganglia, red nucleus, subthalamic nucleus and substantia nigra. The corpus striatum (striated body) is a compound structure consisting of the caudate nucleus and the lentiform nucleus. The neostriatum includes the caudate and putamen; the paleostriatum includes two parts of the globus pallidus, the internal portion and external portion. The basal ganglia are subcortical structures that mediate involuntary and voluntary muscular movements. The basal ganglia belong to the extrapyramidal system of the brain. The basal ganglia have broad interconnection in different nuclei. The striatum serves as the input center for the basal ganglia. The primary input comes from the cerebral cortex; there is a secondary input from the thalamus. Output signals from basal ganglia descend to spinal lower motor neuron through red nucleus, substantia nigra and reticular formation. The basal ganglia, together with cerebral cortex and cerebellum, modulate the voluntary movements, muscle tone and postural reflex.

2.5.3.2 Symptoms and diagnosis of lesions Lesions of basal ganglia can lead to abnormal movements and changed muscle tone.

2.5.3.2.1 Lesions of neostriatum This pattern usually leads to hyperkinesia-hypotonia syndrome, including chorea, athetosis and hemiballismus. Chorea can occur in lesions of putamen, athetosis may occur in lesions of caudate, while hemiballismus is caused by lesions of the subthalamic nucleus. This hyperkinesia-hypotonia syndrome may result from genetic Huntington's chorea, rheumatic chorea, Wilson's disease or side effects of phenothiazine drugs.

2.5.3.2.2 Lesions of paleostriatum and substantia nigra This pattern usually leads to hypokinesia-hypertonia syndrome, presenting with rigidity, slowness of movement and static tremor. This usually occurs in Parkinson's disease and Parkinsonism.

<<医学教育改革系列教材>>

编辑推荐

《医学教育改革系列教材:神经病学》由高等教育出版社出版。

<<医学教育改革系列教材>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介, 请支持正版图书。

更多资源请访问:<http://www.tushu007.com>