

<<先进功能材料力学>>

图书基本信息

书名：<<先进功能材料力学>>

13位ISBN编号：9787308100250

10位ISBN编号：7308100251

出版时间：2012-10

出版时间：王彪 浙江大学出版社 (2012-09出版)

作者：王彪

页数：528

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<先进功能材料力学>>

内容概要

This book is an attempt to tackle mainly the following two problems : (1) to analyze the effect of stress and deformation on the functional properties of the materials , and (2) to establish the quantitative models related with the microstructural evolution. The general formulation will be developed from the detailed analyses of the separated examples.

书籍目录

1 Introduction
 2 Basic Solutions of Elastic and Electric Fields of Piezoelectric Materials with Inclusions and Defects
 2.1 The Coupled Differential Equations of Elastic and Electric Fields in Piezoelectric Solids
 2.1.1 Thermodynamic Framework
 2.1.2 Linear Constitutive Equations
 2.1.3 The Equation of Equilibrium
 2.1.4 The Basic Equations of a Static Electric Field
 2.1.5 Differential Equations for Piezoelectric Materials
 2.2 Boundary Conditions
 2.3 Solution Methods for Two-Dimensional Problems
 2.3.1 The Stroh Formalism for Piezoelectric Materials
 2.3.2 The Lekhnitskii Formalism for Piezoelectric Materials
 2.3.3 Conformal Transformation of the Core Function
 2.4 Basic Solutions for Two-Dimensional Problems
 2.4.1 Elliptical Cylindrical Inclusions in Piezoelectric Materials
 2.4.2 Cracks
 2.4.3 Dislocations and Line Charges
 2.5 Solution Methods for Three-Dimensional Problems
 2.5.1 Eigenstrains and Equivalent Inclusion Method
 2.5.2 Method of Fourier Integrals
 2.5.3 Method of Green's Function
 2.6 Basic Solution for Three-Dimensional Problems
 2.6.1 Ellipsoidal Inhomogeneous Inclusions
 2.6.2 Flat Elliptical Cracks
 2.6.3 Ellipsoidal Inhomogeneity Embedded in an Infinite Matrix when both Phases Undergo Eigenstrains
 2.6.4 Green's Function
 2.7 Remarks
 References
 3 Micromechanics Models of Piezoelectric and Ferroelectric Composites
 3.1 Background
 3.2 Some Definitions
 3.3 Effective Material Constants of Piezoelectric Composites
 3.3.1 The Dilute Model
 3.3.2 The Self-Consistent Model
 3.3.3 The Mori-Tanaka Mean Field Model
 3.3.4 The Differential Model
 3.4 Energy Formulation of Ferroelectric Composites
 3.4.1 Elastic Strain Energy Density for Ferroelectric Composites
 3.4.2 Intrinsic Free Energy Density for Ferroelectric Composites
 3.4.3 Total Free Energy for Ferroelectric Composites with Spherical Inclusions
 3.5 Phase Diagrams
 3.5.1 Total Free Energy for Ferroelectric Composites with Spherical Inclusions and Equiaxed Strains
 3.5.2 Phase Diagrams and Total Polarizations
 3.6 Remarks
 Appendix A: Radon Transform
 References
 4 Determination of the Smallest Sizes of Ferroelectric Nanodomains
 4.1 Introduction
 4.2 Electric Fields in Ferroelectric Thin Film
 4.2.1 General Expression of Electric Field of Ferroelectric Domain
 4.2.2 AFM-Induced Electric Field in Ferroelectric Thin Films
 4.3 Energy Expressions
 4.3.1 Energy Expression for 180° Domain in a Ferroelectric Film Covered with Top and Bottom Electrodes
 4.3.2 Energy Expression for 180° Domain in Ferroelectric Film Induced by an AFM Tip without the Top Electrode
 4.4 Driving Force and Evolution Equations of Domain Growth
 4.5 Stability Analysis
 4.6 Remarks
 Appendix B: Derivation of the Electric and Magnetic Field for a Growing 180° Domain
 References
 5 Size and Surface Effects of Phase Transition on Nanoferroelectric Materials
 5.1 Introduction and Overview of Ferroelectrics in Nanoscale Dimensions
 5.1.1 Ferroelectric Thin Films in Nanoscale Dimensions
 5.1.2 Ferroelectric Tunneling Junctions and Capacitors in Nanoscale Dimensions
 5.1.3 Ferroelectric Multilayers in Nanoscale
 5.1.4 Ferroelectric Nanowires and Nanotubes
 5.1.5 Ferroelectric Nanograins or Nanoislands on Substrates
 5.2 Thermodynamic Modeling and Stability Analysis of Ferroelectric Systems
 5.2.1 Background of the Thermodynamic Modeling for Ferroelectrics
 5.2.2 Electrostatics for Ferroelectrics
 5.2.3 Thermodynamics of Ferroelectrics
 5.2.4 Stability Analysis on Critical Properties of Ferroelectric Systems
 5.3 Ferroelectric Thin Films in Nanoscale
 5.3.1 Thermodynamic Model for a Thick Ferroelectric Film
 5.3.2 Size and Surface Effects on Ferroelectric Thin Films
 5.3.3 The Evolution Equation and Stability of the Stationary States
 5.3.4 Curie Temperature and Critical Thickness
 5.3.5 Curie-Weiss Law of Ferroelectric Thin Film in Nanoscale
 5.4 Critical Properties of Ferroelectric Capacitors or Tunnel Junctions
 5.4.1 The Thermodynamic Potential of the Ferroelectric Capacitors or Tunnel Junctions
 5.4.2 The Evolution Equation and Stability of the Stationary States
 5.4.3 Curie Temperature of the Ferroelectric Capacitors or Tunnel Junctions
 5.4.4 Polarization as a Function of Thickness of the Ferroelectric Capacitors or Tunnel Junctions
 5.4.5 Critical Thickness of the Ferroelectric Capacitors or Tunnel Junctions
 5.4.6 Curie-Weiss Relation of the Ferroelectric Capacitors or Tunnel Junctions
 5.5 Ferroelectric Superlattices in Nanoscale
 5.5.1 The Free Energy Functional of Ferroelectric Superlattices
 5.5.2 The Phase Transition Temperature of PTO/STO Superlattice
 5.5.3 Polarization and Critical Thickness of PTO/STO Superlattice
 5.5.4 The Curie-Weiss-Type Relation of PTO/STO Superlattice
 5.6 Ferroelectric Nanowires and Nanotubes
 5.6.1 Surface Tension of Ferroelectric Nanowires and Nanotubes
 5.6.2 Size and Surface Effects on Ferroelectric Nanowires
 5.6.3 Ferroelectric Nanotubes
 5.7 Ferroelectric Nanograins or

Nanoislands5.7.1 Free Energy of Ferroelectric Nanograins or Nanoislands5.7.2 Stability of the Ferroelectric State and TransitionCharacteristics5.7.3 Critical Properties of Nanograins or Nanoislands5.8 RemarksReferences6 Strain Engineering: Ferroelectric Films on Compliant Substrates6.1 Background6.2 Manipulation of Phase Transition Behavior of Ferroelectric ThinFilms on Compliant Substrates6.2.1 Free Energy Expressions6.2.2 Evolution Equations6.2.3 Manipulation of Ferroelectric Transition Temperature and Critical Thickness6.2.4 Manipulation of the Order of Transition6.3 Piezoelectric Bending Response and Switching Behavior ofFerroelectric Thin Film with Compliant Parnaelectric Substrate6.3.1 Model of Ferroelectric Thin Film with CompliantParnaelectric Substrate and the Energy Expressions6.3.2 Solution of the Evolution Equation6.3.3 The Stationary and Relative Bending Displacements of theBilayer6.3.4 Dynamic Piezoelectric and Bending Response of theBilayer Under a Cyclic Electric Field6.3.5 Examples and Discussions6.4 Critical Thickness for Dislocation Generation in Piezoelectric ThinFilms on Substrate6.4.1 Elastic and Electric Fields in a Piezoelectric Semi-InfiniteSpace with a Dislocation6.4.2 Critical Thickness for Dislocation Generation6.4.3 Effect of Piezoelectric Behavior of the Materials on theCritical Thickness for Dislocation Formation6.5 Critical Thickness of Dislocation Generation in Ferroelectric Thin Film on a Compliant Substrate6.5.1 Mechanical Properties of the Problem6.5.2 The Formation Energy and the Critical Thickness of Spontaneous Formation of Misfit Dislocation6.6 RemarksReferences7 Derivation of the Landau-Ginzburg Expansion Coefficients7.1 Introduction7.2 Fundamental of the Landau-Devonshire Theory7.2.1 The History of the Landau Free Energy Theory7.2.2 The Thermodynamic Functions of the Dielectrics and Phase Transition7.2.3 The Expansion of the Free Energy and Phase Transition7.3 Determination of Landau Free Energy Expansion Coefficients Based on Experimental Methods7.3.1 The Experimental Observation of the Phase Transition Characteristics in Ferroelectrics7.3.2 The Phenomenological Treatment of Devonshire Theory7.3.3 The Elastic Gibbs Free Energy of PbTiO₃ and Its Coefficients7.3.4 The Determination of the Expansion Coefficients fromthe First-Principle Calculation Based on the EffectiveHamiltonian Method7.4 Gradient Terms in the Landau-Devonshire-Ginzburg Free Energy Expansion7.4.1 The Consideration of Spatial Non-uniform Distributionof the Order Parameters in the Landau Theory7.4.2 The Critical Region and the Applicability of LandauMean Field Theory7.4.3 Determination of the Gradient Terms from the LatticeDynamic Theory7.4.4 The Extrapolation Length and the Gradient Coefficient7.5 The Transverse Ising Model and Statistical Mechanics Approaches7.5.1 Phase Transition from the Transverse Ising Model7.5.2 Relationship of the Parameters Between Landau Theoryand the Transverse Ising Model7.5.3 Determination of Landau-Ginzburg Free Energy ExpansionCoefficients from Statistical Mechanics7.6 RemarksReferences8 Multiferroic Materials8.1 Background8.2 Coupling Mechanism of Multiferroic Materials8.2.1 Single Phase Multiferroic Materials8.2.2 Magnetoelectric Composites8.3 Theories of Magnetoelectric Coupling Effect at Low Frequency8.3.1 Energy Formulation for Multiferroic Composites8.3.2 Phase Transition Behaviors in Layered Structures8.3.3 Magnetoelectric Coupling Coefficients in Layered Structures8.4 Magnetoelectric Coupling at Resonance Frequency8.4.1 Magnetoelectric Coupling at Bending Modes8.4.2 Magnetoelectric Coupling at Electromechanical Resonance8.4.3 Magnetoelectric Coupling at Ferromagnetic Resonance8.5 RemarksReferences9 Dielectric Breakdown of Microelectronics and Nanoelectronic Devices.9.1 Introduction9.2 Basic Concepts9.2.1 MOS Structure9.2.2 Different Tunneling Modes9.2.3 Dielectric Breakdown Modes9.2.4 Defect Generation9.2.5 Basic Statistical Concepts of Dielectric Breakdown9.2.6 Stress Induced Leakage Current9.2.7 Holes Generation9.2.8 Energetics of Defects9.3 Mechanism Analysis of Tunneling Phenomena in Thin Oxide Film.9.3.1 Self-consistent Schrödinger's and Poisson's Equations9.3.2 Transmission Coefficient9.3.3 Tunneling Current Components9.3.4 Microscopic Investigation of Defects from First-Principles Calculation9.3.5 Manipulating Tunneling by Applied Strains9.4 Degradation Models in Gate Oxide Films9.4.1 Anode Hole Injection Model9.4.2 Thermochemical Model9.4.3 Anode Hydrogen Release Model9.4.4 Thermal Breakdown Model9.4.5 Mechanical-Stress-Induced Breakdown Model9.4.6 Remarks9.5 Statistical Models of Dielectric Breakdown9.5.1 A Basic Statistical Model9.5.2 A Three-Dimensional Statistical Model9.5.3 Sphere and Cube Based Percolation Models9.5.4 Combination of Percolation Model and Degradation Model9.6 Damage of Dielectric Breakdown in MOSFET9.6.1 Lateral Propagation of Breakdown

Spot9.6.2 Dielectric Breakdown-Induced Epitaxy9.6.3 Dielectric Breakdown-Induced Migration9.6.4 Meltdown
and Regrowth of Silicided Poly-Si Gate9.6.5 Damage in Substrate9.7 RemarksReferencesIndex

<<先进功能材料力学>>

编辑推荐

《先进功能材料力学(英文版)》编辑推荐：近些年来，压电、铁电、光电等功能材料由于制备方法和工艺的进步以及越来越广泛的工程应用已经成为材料科学，凝聚态物理，力学等领域的研究热点。这些功能材料传统上不是力学领域的研究课题。

但由于现代的材料加工工艺必然导致不可忽略的应力和应变，而且，人们也发现由于应变应力的存在，功能材料的性能会发生很大的改变。

这样，力学与电、磁、光等功能的耦合成为目前热门的研究领域。

而且，任何的功能材料都存在强度和可靠性的问题，这也需要拓宽传统的力学模型和理论进行解决。

《先进功能材料力学(英文版)》的重点是针对力、电、磁、光的重要耦合问题，发展新颖的数学模型进行解释、预报先进功能材料的性能。

研究利用力学变量定量调控功能材料性能的理论和方法。

将系统总结作者多年来在压电、铁电和光电等功能材料与力学相互作用等方面的研究成果，初步形成功能材料的力学模型理论体系。

《先进功能材料力学(英文版)》重点强调交叉学科和非线性科学的作用，从工程实际问题出来，系统描述物理建模和求解的方法。

《先进功能材料力学(英文版)》可以作为相关学科的研究生和研究人员的主要参考书。

<<先进功能材料力学>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介, 请支持正版图书。

更多资源请访问:<http://www.tushu007.com>