

<<基于种群概率模型的优化技术>>

图书基本信息

书名：<<基于种群概率模型的优化技术>>

13位ISBN编号：9787313063694

10位ISBN编号：7313063695

出版时间：2010-4

出版时间：上海交通大学出版社

作者：姜群

页数：156

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

前言

The study and use of population-based probabilistic modeling techniques for optimization have been successfully developed during the last decade. Among these techniques, Genetic Algorithms (GA) and Estimation of Distribution Algorithms (EDA) have been the reference. This book, comprised of a total of 9 chapters, covers broadly important spectrum subjects ranging from fundamental theories of GA and EDA, development of a new type of EDAs and applications of EDAs to efficiency enhancements of EDAs. In chapter 1, GA fundamentals are discussed. We begin with what is usually the most critical decision in any application, namely that of deciding how best a candidate solution is represented to the algorithm. We then describe variation operators suitable for different types of representation, before turning our attention to the selection and replacement mechanisms that are used to manage the populations of solutions. In chapter 2, the EDAs proposed for the solution of combinatorial optimization problems and optimization in continuous domains are reviewed. Different approaches for EDAs have been ordered by the complexity of interrelations SO that they are able to express. An empirical comparison of EDAs in binary search spaces is covered in chapter 3. Furthermore, techniques of implementations of a new type of EDAs are studied in chapter 4. The experimental results of applying EDAs to some optimization problems are shown in chapter 5. Chapter 6, 7 and 8 bring together some EDAs approaches to optimization problems in the fields of graph matching and resource management. Finally, chapter 9 provides an overview of different efficiency-enhancement techniques for EDAs. This book should be of interested to theoreticians and practitioners alike, and is a must-have resources for those interested in optimization in general, and genetics and estimation of distribution algorithms in particular. Also engineers who, in their daily life, face real.

<<基于种群概率模型的优化技术>>

内容概要

本书较系统地讨论了遗传算法和分布估计算法的基本理论，并在二进制搜寻空间实验性地比较了几种分布估算法。

在此基础上深入地论述了构建一类新的分布估计算法的思路和实现方法，最后介绍了分布估计算法在计算机科学、资源管理等领域的一些成功应用实例及分布估计算法的几种有效改进方法。

书籍目录

Chapter 1 Fundamentals and Literature 1.1 Optimization Problems 1.2 Canonical Genetic Algorithm 1.3 Individual Representations 1.4 Mutation 1.5 Recombination 1.6 Population Models 1.7 Parent Selection 1.8 Survivor Selection 1.9 SummaryChapter 2 The Probabilistic Model -building Genetic Algorithms 2.1 Introduction 2.2 A Simple Optimization Example 2.3 Different EDA Approaches 2.4 Optimization in Continuous Domains with EDAs 2.5 SummaryChapter 3 An Empirical Comparison of EDAs in Binary Search Spaces 3.1 Introduction 3.2 Experiments 3.3 Test Functions for the Convergence Reliability 3.4 Experimental Results 3.5 SummaryChapter 4 Development of a New Type of EDAs Based on Principle of Maximum Entropy 4.1 Introduction 4.2 Entropy and Schemata 4.3 The Idea of the Proposed Algorithms 4.4 How Can the Estimated Distribution be Computed and Sampled? 4.5 New Algorithms 4.6 Empirical Results 4.7 SummaryChapter 5 Applying Continuous EDAs to Optimization Problems 5.1 Introduction 5.2 Description of the Optimization Problems 5.3 EDAs to Test 5.4 Experimental Description 5.5 SummaryChapter 6 Optimizing Curriculum Scheduling Problem Using EDA 6.1 Introduction 6.2 Optimization Problem of Curriculum Scheduling 6.3 Methodology 6.4 Experimental Results 6.5 SummaryChapter 7 Recognizing Human Brain Images Using EDAs 7.1 Introduction 7.2 Graph Matching Problem 7.3 Representing a Matching as a Permutation 7.4 Apply EDAs to Obtain a Permutation that Symbolizes the Solution 7.5 Obtaining a Permutation with Continuous EDAs 7.6 Experimental Results 7.7 SummaryChapter 8 Optimizing Dynamic Pricing Problem with EDAs and GA 8.1 Introduction 8.2 Dynamic Pricing for Resource Management 8.3 Modeling Dynamic Pricing 8.4 An EA Approaches to Dynamic Pricing 8.5 Experiments and Results 8.6 SummaryChapter 9 Improvement Techniques of EDAs 9.1 Introduction 9.2 Tradeoffs are Exploited by Efficiency-Improvement Techniques 9.3 Evaluation Relaxation: Designing Adaptive Endogenous Surrogates 9.4 Time Continuation: Mutation in EDAs 9.5 Summary

章节摘录

other non-binary information. For example, we might interpret a bit-string of length 80 as ten 8 bit integers. Usually this is a mistake and better results can be obtained by using the integer or real-valued representations directly.

One of the problems of coding numbers in binary is that different bits have different significance. This can be helped by using Gray coding, which is a variation on the way that integers are mapped on bit strings. The standard method has the disadvantage that the Hamming distance between two consecutive integers is often not equal to one. If the goal is to evolve an integer number, you would like to have the chance of changing a 7 into an 8 equal to that of changing it to a 6. The chance of changing 0111 to 1000 by independent bit-flips is not the same, however, as that of changing it to 0110. Gray coding is a representation which ensures that consecutive integers always have Hamming distance one.

1.3.2 Integer Representations

Binary representations are not always the most suitable if our problem more naturally maps onto a representation where different genes can take one of a set of values. One obvious example of when this might occur is the problem of finding the optimal values for a set of variables that all take integer values. These values might be unrestricted, or might be restricted to a finite set: for example, if we are trying to evolve a path on a square grid, we might restrict the values to the set {0, 1, 2, 3} representing {North, East, South, West}. In either case an integer encoding is probably more suitable than a binary encoding. When designing the encoding and variation operators, it is worth considering whether there are any natural relations between the possible values that an attribute can take. This might be obvious for ordinal attributes such as integers, but for cardinal attributes such as the compass points above, there may not be a natural ordering.

1.3.3 Real-Valued Representations

Often the most sensible way to candidate solution to a problem is to have a string of real values. This occurs when the values that we want to represent as genes come from a continuous rather than a discrete distribution. Of course, on a computer the precision of these real values is actually limited by the implementation.

<<基于种群概率模型的优化技术>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>