

<<临床医学英语术语速记(下卷)>>

图书基本信息

书名：<<临床医学英语术语速记(下卷)>>

13位ISBN编号：9787506747752

10位ISBN编号：7506747758

出版时间：2011-1

出版时间：中国医药科技出版社

作者：蔡连芳 编

页数：258

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<临床医学英语术语速记(下卷)>>

内容概要

本书分神经病学、精神病学、传染病学三章。

每章按教材词汇多少分为2~8单元不等。

每单元又分成词汇的拆分和练习两大部分。

本书按照便于记忆的原则将复杂的医学术语拆分成词根或词缀,并于每个术语下注有国际音标,从而利于提高读者的听说能力;有的术语最后列出其缩写,方便查找和记忆。

练习部分旨在帮助复习刚学过的词根和词汇,以加强记忆。

书中术语均选自七版教材正文,包含了以上三方面的主要英语术语,具有权威性和同步性。

本书不仅能让读者熟练地掌握课文中的词汇,更可以让您掌握快速记忆医学英语术语的方法。

适用于医学本科生、研究生、各级医护人员及医疗卫生相关行业。

书籍目录

第一章 神经病学 第一单元 (绪论、神经系统的解剖、生理及病损的定位诊断、神经系统疾病的常见症状) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第二单元 (神经系统疾病的病史采集和体格检查、神经系统疾病的辅助检查) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第三单元 (神经系统疾病的诊断原则、头痛、脑血管疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第四单元 (神经系统变性疾病、中枢神经系统感染) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第五单元 (中枢神经系统感染、运动障碍性疾病、中枢神经系统脱髓鞘疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第六单元 (癫痫、脊髓疾病、周围神经疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第七单元 (自主神经系统疾病、神经-肌肉接头和肌肉疾病、神经系统遗传性疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第八单元 (神经系统发育异常性疾病、睡眠障碍、内科系统疾病的神经系统并发症) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第二章 精神病学 第一单元 (绪论、精神障碍的分类与诊断标准、精神障碍的症状学、精神障碍的检查和诊断、器质性精神障碍) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第二单元 (精神活性物质所致精神障碍、精神分裂症及其他精神病性障碍、心境障碍、神经症性与分离性障碍、应激相关障碍、心理因素相关生理障碍、人格障碍与性心理障碍、攻击行为、自杀与危机干预、会诊-联络精神病学、儿童少年期精神障碍、躯体治疗、心理治疗、精神障碍的预防和康复、精神疾病相关法律问题) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第三章 传染病学 第一单元 (总论) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第二单元 (朊毒体病、病毒感染性疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第三单元 (立克次体感染、细菌感染性疾病) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案 第四单元 (真菌感染、螺旋体感染、原虫感染性疾病、蠕虫感染) 第一节 常用词汇及解析 第二节 词汇练习 第三节 练习答案

章节摘录

版权页：插图：The paralysis is made worse by injections or exercise in the prodromal phase, and any, or all, of the limbs and trunk may be affected. The respiratory or swallowing muscles, or both, may also be affected, and may require urgent treatment to save the patient's life. The residual effects of polio are due to destruction of the anterior horn cells of the spinal cord and the brain stem. This causes a lower motor neurone type of paralysis with flaccid paralysis and normal sensation. The muscles affected depend on which level of the spinal cord is involved, but the paralysis tends to affect some muscles more than others, and the lower limb much more often than the upper limb. As a result of this, contractures are liable to occur, and this is mainly due to imbalance of muscles. These deformities are seen particularly in the lower limbs where the flexors of the hip, knee and ankle are often less paralysed than the extensors. Flexion contractures of the hip and knee, and equinus deformity of the ankle are therefore common sequelae. Treatment in the early convalescent stage is mainly directed at treating muscle pain and spasm and to preventing these deformities. This latter is achieved by gently stretching muscles daily, and by fitting splints and supporting calipers at an early stage. Some degree of muscle recovery usually occurs, but many paralysed patients will need calipers permanently to support unstable limbs, especially where the residual power in the limb is less than that necessary to hold the limb up against gravity. Crutches may also be required, but the upper limbs must be strong enough to use them.

<<临床医学英语术语速记(下卷)>>

编辑推荐

《临床医学英语术语速记(下卷)(第3册)(包含神经病学、精神病学、传染病学)》：第七版统编医学教材,医学英语术语同步学习教程记百识千的智慧记忆有限的词根 - 化整为零掌握无限的词汇 - 触类旁通

版权说明

本站所提供下载的PDF图书仅提供预览和简介, 请支持正版图书。

更多资源请访问:<http://www.tushu007.com>